



Brain-Machine Interfaces - The Core of the Human Intranet



IEEE Brain Initiative
NY, December 14 2015

Jan M. Rabaey
University of California at Berkeley

Living in a Smart World



It is happening!



Smart things, smart buildings,
smart city, smart everything ...



How will us, humans, cope with all of this?

Living in a Smart Dynamic World



How will us, humans,
cope with all of this?

One viable option ... extend ourselves!



Mobiles

A limited bandwidth proposition

Extend ourselves - An old idea

Augmenting Human Intellect

A Conceptual Framework

Doug Engelbart, 1962

"Meaning: More-rapid comprehension, better comprehension ..., speedier solutions, better solutions, and the possibility of finding solutions to problems that before seemed insolvable."

"Mother of all demos"
NLS – December 1968, SF



A viable option ... extend ourselves!



[Time Magazine, September 2014]



The Promise of Wearables

Wearable ...

Any object or tool
that moves in concert with human,
and enhances functionality and/or knowledge

Includes: mobiles, watches, bangles, rings, patches,
tools, bicycles, cars, exoskeletons, implants, ...


The multiple roles of wearables

Extrospection



Extension / Enhancement

Introspection



Brain-Machine Interfaces - A Prime Target



Breaking New Grounds



SUBNETS

UNLEARNING Systems Dysfunction in Neuropsychiatric Disorders


Edward Chang (UCSF) PI

Basic tenet: Depression, anxiety, PTSD, chronic pain, addiction **are acquired and can be unlearned**

Distortions across many domains of behavior - requires system level solution

Closed-loop modulation at network level a possible answer

DARPA funded-project under Brain Initiative
Partners: UCSF, UCB, NYU, USC, LLNL, Cortera Neuro



The OMNI Device



How to correctly assess mood?



Moodify:
Quantifiable
symptoms from
self-report
measures



[Courtesy: E. Chang and Subnets team]




[Jo De Boeck, IMEC, ISSCC 2011]

Combination of various wearable sensors

30 days later, I'm returning my Apple Watch (full review)


MARK SULLIVAN · May 15, 2015 1:02 PM
TAGS: APPLE, APPLE WATCH, TOP STORIES

The pitfall of wearables



Opportunity hampered by “gadgetry”


- Single or restricted function
- Limited attention lifetime
- Only compatible with devices of same company
- Limited engagement with environment



Stovepipes ...

Envision a Human Intranet


An open platform of sensors, processors, actuators, storage and network links around, on or inside the human body – formfitting, long-term, robust, safe



[Image courtesy of Yasser Khan, UCB]

Empowered Humans in an Augmented World

BMI as a Most Compelling Driver



Typical BMI System

BMI as a Most Compelling Driver


Subnets OMNI Device: Modular, distributed, intelligent, efficient



- **Neuromodulator (NM)**
 - High-density cortical and sub-cortical electrode arrays
 - Ultra-low power electronics for stimulation and recording on up to 512 channels



- **Aggregator Module (AM)**
 - System modularity
 - Miniaturized, chronically implantable



- **Control Module (CM) (or Hub)**
 - Closed-loop control
 - Power management and delivery
 - Telemetry




DARPA SubNets Program


Propulsed by amazing new technologies

Pushing boundaries of miniaturization,
conformity, wearability and efficiency


Enabler: Miniaturization




transparent ITO μ ECoG
 Brian Pepin / Nathalie Gaudreault
 Blanche / Maharbiz




Scalable Flexible
 Ultracompliant Nanocables
 Peter Ledochowitsch / Raphael Tiefenauer
 Blanche / Maharbiz




μ ECoG for auditory cortex
 Peter Ledochowitsch /
 Chang / Maharbiz



μ ECoG+BMI
 Peter Ledochowitsch / Aaron Koralek
 Carmena / Maharbiz




Insertion robotics for ultra-compliant
 electrodes
 Tim Hanson
 Sabes / Maharbiz





High Density Flexible Nanorodes:
 Electrical + Optical
 Maysam Chamanzar
 Blanche / Maharbiz

Enabler: Miniaturization!





Free-floating wireless AP acquisition electrodes [Biederman, Yeager, VLSI12]

Asynchronous 250 nW/channel spike-sorting [Liu, VLSI12]




64 channel remotely powered wireless uECoG [Muller, Le, Ledoschowicz, Li]

Miniaturization





Neural dust: microscopic nodes free floating in tissue to record neural activity



[DJ Seo et al, SfN Oct 15]


Piezo beamforming array
[B. Boser, UCB]




Enabler: Flexible Electronics

For sensing

Blood oximetry, EEG, EMG, ECG, heart rate, thermistors, humidity, stress, ...



Printed oximetry system
[Courtesy: A. Arias, UCB]



Thin Film μ ECoG
[Courtesy: M. Maharbiz, UCB]





Thin Film EEG
[Courtesy: J. Rogers, UIUC]

Cheap, compliant, flexible, ...




Enabler: Flexible Electronics

For energy delivery and communications



Inductive interrogator [A. Arias, UCB]

RFID-like energy harvester [J. Rogers, UIUC]



The ultimate wearable technology



Skintillates

Conformal, flexible, wearable electronics

[See also: OCTattoos, Peter Hamilton, Pandora's Star]


[Courtesy JoAnne Loh and Eric Paulos, UCB]

The Human Intranet

Plenty of Challenges

Energy, connectivity, safety, security, adaptivity

Challenge: Energy sparsity



Symbiotic to natural nervous
and capillary system


Intertwining of energy and information distribution

- Organically formed mesh network routes **energy and data** from sources to sinks
- Dynamically configured based on needs and availability
- Heterogeneous physical links (wired/wireless, electromagnetic, inductive, resistive, acoustic, ...)



Moving Forward: Focus on the Network

Body-Area network
skeleton/skin
formed by mesh of hub nodes


- Seamless local addition of sensormotor nodes by linking to hubs
 - *pick your favored physical layer*
- Power and data skeletons partially merged
 - Energy-aware protocols
- Hubs could be off-body as well





Examples in BMI



OMNI: The Network Challenge




- Cable bundle combines power and data
- Digital protocol allows for scalability and modularity
- **Zero dc-contents for biocompatibility**



Unpublished material – do not replicate



Challenge: Retain basic or partial functionality under all circumstances

Inherently fail-safe and robust



- Implicit baselining and fall-back modes
- Redundancy in network and compute resources
- Adaptivity and reconfiguration


Robustness in numbers and diversity



100s of channels from diverse sensors and diverse locations

Challenge: Secure and private

Human firewall



"Can I hack your brain?"




[Harry Potter invisibility Cloak]

- Every link to be encrypted
- Keys generated from local observations (channel properties, biomarkers)
- Creation of virtual cloak using deliberate self-interference
- Adaptivity to avoid spamming


Real and Virtual Cloaks



[Courtesy JoAnne Loh]




Jam hostile communications and prevent overhearing
[Gollakota 2011]



Challenge: Dynamically changing conditions

Adaptive and evolutionary systems



A: Hubs
B: Sensor clusters

- Combining local information extraction and decision making with centralized global learning and optimization
- Supporting long-range and global functions such as feature extraction, sensor fusion, adaptation and learning

Closing the loop

Huge appetite for on-line computation

- Signal conditioning and feature extraction
 - Spectral analysis, filtering
 - Artifact removal
- Model creation and execution
 - Classification
 - Various forms of adaptive control; e.g. Model-Predictive Control
 - Machine learning


Energy efficiencies > 2 orders of magnitude
better than state-of-the-art embedded
processors

~ mW at 10 MGFlop-10 GOP/sec



Closing The Loop




Low latency, adaptive, multi-variate, hybrid



Typical BMI System

Reducing the Data Deluge


Number of recordable channels limited by throughput of wireless channel and energy/channel



Solution: Compression at the source


- Raw: 210 Kbps/channel
- Epochs: < 32 Kbps/channel
- Firing Rates: 150 bps/channel

Advanced closed-loop systems



[Courtesy: M. Shanechi, USC]

Advanced closed-loop systems




[Courtesy: M. Shanechi, USC]

Step	Computation	Complexity
Output dimensionality reduction	$O(T(K^0)^2)$ floating point multiplications	$O(10^9)$
System identification ("offline")	$O(4N(K + N)(K + M)M^2(K + N)^2)$ floating point multiplications	$O(10^{12})$
State estimator	$O(KM)$ multiplications	$O(10^3)$
Feedback controller (MPC)	$O(hM^3N^2)$ multiplications	$O(10^9)$

Dedicated accelerators supplementing embedded microcontrollers necessary

Computation - An Alternative Approach

Efficient distributed machine-learning engines




Window of opportunity for neuro-inspired architectures

- Deep learning successes in machine automation

Computation – An Alternative Approach



A very first indicator: BMI Control using Spiking Neural Networks



[Dethier et al, Adv Neural Inf Processing Systems, 2011]

Computation – An Alternative Approach

Major Opportunities



[TrueNorth Processor,
S. Modha, IBM]

[3D Sensor processor,
M. Shulaker, Stanford]

Fundamental Challenges

- Computation at low SNR
- Massively parallel and redundant operation
- Programming models that scale horizontally and vertically

High-order bits

- The new age of information processing: ubiquitous, distributed and **VERY** personal
- Redefining information technology - Stretching bounds in energy scaling, miniaturization, and wireless distributed system design.
- **BMI center and fore. Yet, just scratching the surface. Many more opportunities to emerge!**
- Will challenge society and humanity in many unforeseeable ways – the conversation starts **NOW!**



Acknowledgements

The many contributions of my students and many of my colleagues to this presentation are gratefully acknowledged. Special acknowledgements to the BWRC and SwarmLab Directors, and the CNEP students and faculty.

The support of the California Discovery and DARPA Subnets program, the StarNets SONIC and TerraSwarm centers, the Center for Neuroengineering and prosthesis (CNEP), and the member companies of BWRC and SwarmLab is greatly appreciated.

